

## **Declaration of Performance**

**DOP No. JSLO/1.4307/HR/S** 

Sr. No	Performance Particulars		Description	
1	Identification Code		EN 10088-4: 2010, Hot rolled strip of 1.4307	
2	Batch No./Serial No. acc. To article 11 par. 4		As per Mill Test certificate Marking/ Label/ Hand punch	
3	Intended use of construction products:		metal structures or in composite metal and concrete structures	
4	Contact address of manufacturer: acc. To article 11 par. 5		Jindal Stainless Limited, Jajpur, Kalinga Nagar Industrial Complex, Danagadi, 755026, Odisha, India	
5	Contact address of authorized representative: acc. To article 12 par. 2		HOD Quality Assurance Department Jindal Stainless Limited, Jajpur, Kalinga Nagar Industrial Complex, Danagadi, 755026, Odisha, India	
6	Assessment system and verification for constancy of performance acc. To annex V		System 2+	
7	Declaration of performance concerning a construction product covered by a harmonized standard		TUV NORD Systems GmbH & Co. KG, notified body for construction product regulation (CPR), Reg No. 0045 performed initial inspection of manufacturing plant under system 2+ and issued certificate of conformity of the factory production control	
8	Construction product with European Technical Assessment:		NA	
9	Declared Performance			
Essential Characteristics Per			formance	Harmonized Technical specification
	Tolerances on dimensions and shape		EN ISO 9444	
	Mechanical Properties			EN 10088-4:2010
Tensile Strength(MPa) H		Hot	Rolled Strip = 520-700	
Yield	Yield Strength(MPa)		Rolled Strip = 200MPa (min)	
Elongation (%)		Mini	mum 45% transversely	
Impact Strength		Mini	mum 60 Joule (transverse)	7
		Satis	factory	
Composition)			sfactory	
Fracture Toughness (Cover by Impact NA Strength)		NA		
Cold Formability		Satis	sfactory	

10. The performance of the product identified in points 1 and 2(i. e. serial no.) is in conformity with the declared performance in point 9(i. e serial no.). The Declaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

(Place, Date, Signature)
NAGARAJ NAYAK



Format No.: JSLO/F/QA-CRM/39

## **Declaration of Performance**

**DOP No. JSLO/1.4404/HR/S** 

Sr. No	Performance Particulars		Description	
1	Identification Code		EN 10088-4: 2010, Hot rolled strip of 1.4404	
2	Batch No./Serial No. acc. To article 11 par. 4		As per Mill Test certificate Marking/ Label/ Hand punch	
3	Intended use of construction products:		metal structures or in composite metal and concrete structures	
4	Contact address of manufacturer: acc. To article 11 par. 5		Jindal Stainless Limited, Jajpur, Kalinga Nagar Industrial Complex, Danagadi, 755026, Odisha, India	
5	Contact address of authorized representative: acc. To article 12 par. 2		HOD Quality Assurance Department Jindal Stainless Limited, Jajpur, Kalinga Nagar Industrial Complex, Danagadi, 755026, Odisha, India	
6	Assessment system and verification for constancy of performance acc. To annex V		System 2+	
7	Declaration of performance concerning a construction product covered by a harmonized standard		TUV NORD Systems GmbH & Co. KG, notified body for construction product regulation (CPR), Reg No. 0045 performed initial inspection of manufacturing plant under system 2+ and issued certificate of conformity of the factory production control	
8	Construction product with Europe Technical Assessment:	ean	NA	
9	Declared Performance			
Essential Characteristics		Per	formance	Harmonized Technical specification
Tole	rances on dimensions and shape	DIN	EN ISO 9444	
	Mechanical Properties			EN 10088-4:2010
	Tensile Strength(MPa)		Rolled Strip = 530-680 MPa	
Yield Strength(MPa)			Rolled Strip = 220MPa (min)	and the second s
Elongation (%)		Minimum 40% transverse		
Impact Strength		Minimum 60 Joule transverse		
	Weldability (Cover by Chemical		factory	
	Composition)			-
Durability (Cover by Chemical Composition)		Satis	factory	
		NA		
Strength)				
	Cold Formability		factory	-
	TI C C I	Jaus	auctory	· ·

10. The performance of the product identified in points 1 and 2(i. e. serial no.) is in conformity with the declared performance in point 9(i. e serial no.). The Declaration of Performance is issued under the sole responsibility of the manufacturer identified in point 4.

(Place, Date, Signature)

NAGARAJ NAYAK